

AIS SunShield

Parameters



AIS SunShield - 5 mm

Shade	Visible Light			SF	SC	U-Value
	Transmission	Reflection				
		External	Internal			
	%	%	%			
Leaf Green	17	38	16	31	0.36	5.67
Oceanic Blue	28	20	29	39	0.45	5.71
Radiant Amber	18	20	15	31	0.36	5.67
Icy Clear	65	22	25	66	0.76	5.75

AIS SunShield 5 mm Coated Glass + 12 mm Air Gap + 5 mm Clear Glass

Leaf Green	15	38	21	22	0.26	2.79
Oceanic Blue	25	20	32	29	0.34	2.81
Radiant Amber	16	20	20	22	0.25	2.79
Icy Clear	58	26	28	57	0.65	2.82

AIS SunShield - 6 mm

Supreme Blue	35	17	24	44	0.51	5.69
Supreme Green	33	34	14	43	0.49	5.66
Supreme Gold	58	15	16	67	0.78	5.4

AIS SunShield - 6 mm Coated Glass + 12 mm Air Gap + 6 mm Clear Glass

Supreme Blue	31	18	27	33	0.38	2.8
Supreme Green	29	35	19	34	0.39	2.79
Supreme Gold	50	18	21	55	0.63	2.8